GBA GROUP

GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

Alpine Nutrition

D.O. Gospodinjska Ulica 8
1000 Ljubljana
Slovenia

QS-anerkanntes Labor · ilac-MRA · DAkkS Deutsche Akkreditierungsstelle D-PL-14170-01-00

Our sign:JoK
Date: 15.05.2025

Certificate of analysis 25002876 - 003 b replaces certificate 25002876-003

Sample name	:	Organic Ashwagandha Powder
+ Marking of sample	:	Sample details: Job File No : EKA-2024-10-35 | Sampling Date : 08/10/24 | Seal no : 435286 | Location : Sonipat | TEMP : 26°C | RH : 75% | Lot No : 102024143650 | Master Code : ASHWP/11-24 | Shipper/Exporter : LRM
Customer No.	:	EKA2-25-01-02182
Packaging	:	Plastic package
Sample amount	:	1 x 510 g
Shipping of sample	:	Courier Service
Sample entry	:	20.01.2025
Entrance temperature	:	Room temperature
Sample taken	:	by sender
Begin/end of analysis	:	20.01.2025 / 27.01.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our webside (gba-group.com/agb).

GBA Gesellschaft für Bioanalytik mbH
Goldtschmidtstr. 5, 21073 Hamburg
Telefon +49 (0)40 797172-0
Fax +49 (0)40 797172-27
E-Mail service@gba-group.de
www.gba-group.com

Sitz der Gesellschaft: Hamburg
Handelsregister: Hamburg HRB 42774
USt-Id.Nr. DE 118 554 138
St.-Nr. 47/723/00196

Geschäftsführer: Ralf Murzen, Ole Borchert, Alexander Kleinke, Dr. Dominik Obeloer

seit 1989

Certificate of analysis : 25002876 - 003 b replaces certificate 25002876-003
Sample name : Organic Ashwagandha Powder

Test Results

Chemical/Physical Test	*Result*	*Unit*
Lead	0,30	mg/kg
Cadmium	0,080	mg/kg
Mercury	<0,010	mg/kg
Arsenic	0,13	mg/kg

Hamburg, 15.05.2025

This report was generated automatically and is valid without signature.

Methods

Parameter	*Method*
Lead	DIN EN 15763, ICP-MS: 2010-04[a]5
Cadmium	DIN EN 15763, ICP-MS: 2010-04[a]5
Mercury	DIN EN 15763, ICP-MS: 2010-04[a]5
Arsenic	DIN EN 15763, ICP-MS: 2010-04[a]5

The methods marked with [a] are accredited methods of the performing laboratory.
Testing laboratory: 5GBA Pinneberg

+ Change from previous version.